

FIG. 1




FIG. 2





FIG. 3

00594284.061500



00 : NETWORK CONNECTION INFORMATION	CERTIFIED ID, PASSWORD---
01 : NETWORK ADDITIONAL INFORMATION	GROUP ID, PASSWORD
02 : PERSONAL INFORMATION	TELEPHONE DIRECTORY DATA, ADDRESS BOOK DATA, SCHEDULE DATA---
03 : INFORMATION FOR EACH TERMINAL	ATTRIBUTES OF TERMINALS SUCH AS TELEVISION, PC, CELLULAR PHONE, ETC. ATTRIBUTES OF MEDIA SUCH AS TEXT, STATIC IMAGE, MOVING IMAGE, VOICE, MUSIC, ETC. FORMATS SUCH AS HTML, GIF, JPEG, MPEG, MP3, ATRAC, ETC.
04 : USE INFORMATION AND PROFILE INFORMATION	USE RECORD, PROFILE INFORMATION

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

CONCERNING COMPONENTS
 SERVICE PROVIDING FUNCTION: 1
 BEHAVIORAL PATTERN ANALYSIS SERVER: 2 WHEN 2 IS DIVIDED INTO TWO AND WRITTEN, A BEHAVIORAL PATTERN FORMING
 FUNCTION IS DESIGNATED BY 2' AND A BEHAVIOR PREDICTING FUNCTION IS DESIGNATED BY 2".
 BEHAVIORAL PATTERN: 3
 POSITION LOG: 4
 POSITION SPECIFYING FUNCTION: 5
 CONFIGURATION PATTERN
 SERVICE PROVIDER

	SERVICE PROVIDER	COMMUNICATIONS COMPANY	TERMINAL UNIT	MERITS
CONFIGURATION PATTERN 1	1	2, 3, 4	5	<ul style="list-style-type: none"> SERVICE CAN BE PROVIDED FROM PROVIDER STORAGE DEVICE DOES NOT NEED TO BE MOUNTED ON TERMINAL SIDE
CONFIGURATION PATTERN 2	1	2, 3, 4	5	<ul style="list-style-type: none"> SERVICE CAN BE PROVIDED FROM PROVIDER LOG CAN BE COLLECTED EVEN OFF LINE ON TERMINAL SIDE
CONFIGURATION PATTERN 3	1	2, 3, 4, 5		<ul style="list-style-type: none"> SERVICE CAN BE PROVIDED FROM PROVIDER SPECIAL DEVICES AND FUNCTIONS ARE NOT REQUIRED ON TERMINAL SIDE
CONFIGURATION PATTERN 4	1, 2', 3	2', 3, 4	5	<ul style="list-style-type: none"> TRANSMISSION OF LOG TO PROVIDER SIDE IS NOT REQUIRED, AND SECURITY IS HIGH SERVICE CAN BE PROVIDED FROM PROVIDER
CONFIGURATION PATTERN 5	1, 2, 3, 4		5	<ul style="list-style-type: none"> EVEN WHEN A PLURALITY OF COMMUNICATIONS COMPANIES ARE PRESENT, COMMON BEHAVIORAL PATTERN CAN BE CREATED AND USED SERVICE CAN BE PROVIDED FROM PROVIDER WHEN PROVIDER PROVIDES SERVICE, CONNECTION TO COMMUNICATIONS COMPANY IS NOT REQUIRED EVERY TIME (BECAUSE OF HAVING BEHAVIORAL PATTERN IN SERVER ITSELF)
CONFIGURATION PATTERN 6	1		2, 3, 4, 5	<ul style="list-style-type: none"> SECURITY IS HIGH APPLICATIONS USING BEHAVIORAL PATTERN ON TERMINAL UNIT SIDE CAN BE EMPLOYED

FIG. 17